This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Clmpto

Le

07-16-04

the buyer.

1. A method for scheduling and delivery or a product to a buyer along the buyer's commuting route, comprising:

receiving route information from a buyer; selecting from a plurality of pickup points a pickup point based on the route information; and dispatching a mobile pickup station to the pickup point, the mobile pickup station containing a product ordered by

2. The method of Claim 1, wherein selecting a pickup point further comprises:

receiving a channel width from the buyer; calculating a channel area using the channel width and the route information; determining a set of pickup points from the plurality of pickup points based on the channel area; selecting from the set of pickup points a pickup point.

- 3. The method of Claim 1, wherein the plurality of pickup points is determined using an approximate buyer route concentration based on route usage.
- 4. The method of Claim 1, further comprising: receiving a plurality of routes from a plurality of buyers; and determining the plurality of pickup points based on the plurality of routes.
- 5. The method of Claim 1, further comprising: receiving a specification of a plurality of preferred products; receiving an occurrence rate for each of the plurality of preferred products; and ordering the product for the buyer using the occurrence rates.
- 6. The method of Claim 1, further comprising reminding the buyer via email that a product delivery is scheduled at the pickup point.

Group II 705/8 Group II 705/10 Group III 705/9 Group II - 705/8 Orroup II - 705/26 Group II - 705/26

Group 1

7. The method of Claim 1, further comprising reminding the buyer telephonically that a product delivery is scheduled at the pickup point.

GroupI

8. The method of Claim 1, wherein:

the mobile pickup station includes a plurality of lockers for containing products, each of the plurality of lockers having a unique access code; and giving the buyer an access code for a locker containing the buyer's product, the locker selected from the plurality of lockers.

9. A method of determining for a buyer a store where a product may be purchased, comprising:

receiving product information from a buyer; receiving route information from the buyer, the route information including a route and channel width; and selecting a set of stores from a plurality of stores based on the product information and the route information.

10. The method of Claim 9, wherein selecting the set of stores comprises:

providing a store database, the store database containing location and product information for each of the plurality of stores;

using the route and channel width to calculate a channel area; and

searching the store database for a set of stores carrying the product wherein each store in the set of stores is located within the channel area.

。 1917年,1918年(1918年) - 1918年(1918年) - 1918年(1918年) - 1918年(1918年) - 1918年(1918年) - 1918年(1918年) - 1918年(1918年) 1918年(1918年) - 1918年(1918年) - 1918年(1918年) - 1918年) - 1918年) - 1918年) - 1918年) - 1918年) - 1918年) - 1918年)

Group II

11. A method for scheduling and delivery of a product to a buyer by a seller using a third party seller affiliate, comprising:

receiving an order for a product from a buyer;

receiving route information from a buyer;

selecting from a plurality of pickup points a pickup point based on the route information;

selecting a third party seller affiliate from a plurality of third party sellers based on the location of the pickup point; and

dispatching by the third party seller affiliate a mobile pickup station to the pickup point, the mobile pickup station containing the products ordered by the buyer.

12. A method for scheduling and delivery of a product to a buyer along the buyer's commuting route, comprising:

receiving route information from a buyer; selecting from a plurality of fixed pickup stations a fixed pickup station based on the route information; and delivering a product ordered by the buyer to the fixed pickup station.

13. The method of Claim 12, wherein selecting a fixed pickup station further comprises:

receiving a channel width from the buyer;

calculating a channel area using the channel width and the route information;

determining a set of fixed pickup stations from the plurality of fixed pickup stations based on the channel area;

selecting from the set of fixed pickup stations a fixed pickup station.

Group_I

GroupII

14. The method of Claim 12, further comprising:

receiving a specification of a plurality of preferred products;

receiving an occurrence rate for each of the plurality of preferred products; and

ordering the product for the buyer using the occurrence rates.

- 15. The method of Claim 12, further comprising reminding the buyer via email that a product delivery is scheduled at the fixed pickup station.
- 16. The method of Claim 12, further comprising reminding the buyer telephonically that a product delivery is scheduled at the fixed pickup station.
- 17. The method of Claim 12, wherein: the fixed pickup station includes a plurality of lockers for containing products, each of the plurality of lockers having a unique access code; and giving the buyer an access code for a locker containing the buyer's product, the locker selected from the plurality of lockers.

18. A method for scheduling pickup of a package from a user along the user's commuting route, comprising:

receiving route information from a user; selecting from a plurality of pickup points a pickup point based on the route information; and dispatching a mobile pickup station to the pickup point, the mobile pickup station for picking up the package from the user.

三·拉拉·拉拉·拉拉·拉摩斯雷斯。克斯克斯雷斯拉斯·菲拉·拉拉斯克斯拉克

GroupII

Group IV

19. The method of Claim 18, wherein selecting a pickup point further comprises:

receiving a channel width from the user;

calculating a channel area using the channel width and the route information; determining a set of pickup points from the plurality of pickup points based on the channel area;

selecting from the set of pickup points a pickup point.

- 20. The method of Claim 18, wherein the plurality of pickup points is determined using an approximate user route concentration based on route usage.
- 21. The method of Claim 18, further comprising: receiving a plurality of routes from a plurality of users; and determining the plurality of pickup points based on the plurality of routes.
- 22. The method of Claim 18, further comprising reminding the user via email that a package pickup is scheduled at the pickup point.
- 23. The method of Claim 18, further comprising reminding the user telephonically that a package pickup is scheduled at the pickup point.
- 24. The method of Claim 18, wherein: the mobile pickup station includes a plurality of lockers for containing products, each of the plurality of lockers having a unique access code; and

。 第一次,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年,1918年

GroupTV

 giving the user an access code for a locker containing the user's product, the locker selected from the plurality of lockers.

GroupTY

25. A method for scheduling pickup of a package from a user along the user's commuting route, comprising:

receiving route information from a user; and selecting from a plurality of fixed pickup stations a fixed pickup station based on the route information.

26. The method of Claim 25, wherein selecting a fixed pickup station further comprises:

receiving a channel width from the user;

calculating a channel area using the channel width and the route information;

determining a set of fixed pickup stations from the plurality of fixed pickup stations based on the channel area;

selecting from the set of fixed pickup stations a fixed pickup station.

- 27. The method of Claim 25, further comprising reminding the user via email that a package pickup is scheduled at the fixed pickup station.
- 28. The method of Claim 25, further comprising reminding the user telephonically that a package pickup is scheduled at the fixed pickup station.
- 29. The method of Claim 25, wherein:

GroupII

了。 第二章 1000年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年

the fixed pickup station includes a plurality of lockers for containing packages, each of the plurality of lockers having a unique access code; and giving the user an access code for a locker to contain the user's package, the locker selected from the plurality of lockers.

GroupIL

30. A method for scheduling and delivery of a product to a buyer along the buyer's commuting route, comprising:

receiving route information from a buyer;
receiving a channel width from the buyer;
calculating a channel area using the channel width and the
route information;
determining a set of pickup points from a plurality of
pickup points based on the channel area;
selecting from the set of pickup points a pickup point; and
dispatching a mobile pickup station to the pickup point,
the mobile pickup station containing a product ordered by
the buyer.

GroupI

- 31. The method of Claim 30, wherein the plurality of pickup points is determined using an approximate buyer route concentration based on route usage.
- 32. The method of Claim 30, further comprising: receiving a plurality of routes from a plurality of buyers; and determining the plurality of pickup points based on the plurality of routes.

自由,这一个人,也可以是一个是一个人,也可以是一个人的人,也不是一个人的人。 自由,我们就是一个人的人,也可以是一个人的人,我们就是一个人的人的人,也可以是一个人的人的人,也可以是一个人的人的人,也可以是一个人的人的人的人,也可以是一个人

33. A data processing system adapted to schedule and deliver a product to a buyer along the buyer's commuting route, comprising:

a processor; and

a memory operably coupled to the processor and having program instructions stored therein, the processor being operable to execute the program instructions, the program instructions including:

receiving route information from a buyer; selecting from a plurality of pickup points a pickup point based on the route information; and dispatching a mobile pickup station to the pickup point, the mobile pickup station containing a product ordered by the buyer.

34. The data processing system of Claim 33, wherein the program instructions for selecting a pickup point further include:

receiving a channel width from the buyer;

calculating a channel area using the channel width and the route information;

determining a set of pickup points from the plurality of pickup points based on the channel area;

selecting from the set of pickup points a pickup point.

- 35. The data processing system of Claim 33, the program instructions further including determining the plurality of pickup points using an approximate buyer route concentration based on route usage.
- 36. The data processing system of Claim 33, the program instructions further including:

GroupI

receiving a plurality of routes from a plurality of buyers:

determining the plurality of pickup points based on the plurality of routes.

37. The data processing system of Claim 33, the program instructions further including:

receiving a specification of a plurality of preferred products;

receiving an occurrence rate for each of the plurality of preferred products; and

ordering the product for the buyer using the occurrence rates.

38. The data processing system of Claim 33, the program instructions further including reminding the buyer via email that a product delivery is scheduled at the pickup point.

39. The data processing system of Claim 33, the program instructions further including reminding telephonically that a product delivery is scheduled at the pickup point.

40. A data processing system adapted to determine for a buyer a store where a product may be purchased along the buyer's commuting route, comprising:

a processor; and

a memory operably coupled to the processor and having program instructions stored therein, the processor being operable to execute the program instructions, the program instructions including:

Group I

GroupIL

receiving product information from a buyer; receiving route information from the buyer, the route information including a route and channel width; and selecting a set of stores from a plurality of stores based on the product information and the route information.

41. The data processing system of Claim 40, wherein the program instructions for selecting the set of stores include:

accessing a store database containing location and product information for each of the plurality of stores using the route and channel width to calculate a channel area; and searching the store database for a set of stores carrying the product wherein each store in the set of stores is located within the channel area.

42. A data processing system adapted to schedule and deliver a product to a buyer by a seller using a third party seller affiliate, comprising:

a processor; and

a memory operably coupled to the processor and having program instructions stored therein, the processor being operable to execute the program instructions, the program instructions including:

receiving an order for a product from a buyer; receiving route information from a buyer; selecting from a plurality of pickup points a pickup point based on the route information; selecting a third party seller affiliate from a plurality of third party sellers based on the location of the pickup point; and

Group II

GroupI

dispatching by the third party seller affiliate a mobile pickup station to the pickup point, the mobile pickup station containing the products ordered by the buyer.

Group I

- 43. A data processing system adapted to schedule and deliver a product to a buyer along the buyer's commuting route, comprising:
 - a processor; and
 - a memory operably coupled to the processor and having program instructions stored therein, the processor being operable to execute the program instructions, the program instructions including:

receiving route information from a buyer; selecting from a plurality of fixed pickup stations a fixed pickup station based on the route information; and

delivering a product ordered by the buyer to the fixed pickup station.

44. The data processing system of Claim 43, wherein the program instructions for selecting a fixed pickup station further include:

receiving a channel width from the buyer;

calculating a channel area using the channel width and the route information;

determining a set of fixed pickup stations from the plurality of fixed pickup stations based on the channel area;

selecting from the set of fixed pickup stations a fixed pickup station.

GroupIII

45. The data processing system of Claim 43, the program instructions further including:

receiving a specification of a plurality of preferred products:

receiving an occurrence rate for each of the plurality of preferred products; and

ordering the product for the buyer using the occurrence rates.

- 46. The data processing system of Claim 43, the program instructions further including reminding the buyer via email that a product delivery is scheduled at the fixed pickup station.
- 47. The data processing system of Claim 43, the program instructions further including reminding the buyer telephonically that a product delivery is scheduled at the fixed pickup station.
- 48. A data processing system adapted to scheduling pickup of a package from a user along the user's commuting route, comprising:
 - a processor; and
 - a memory operably coupled to the processor and having program instructions stored therein, the processor being operable to execute the program instructions, the program instructions including:

receiving route information from a user; selecting from a plurality of pickup points a pickup point based on the route information; and

Group III

GroupTV

dispatching a mobile pickup station to the pickup point, the mobile pickup station for picking up the package from the user.

49. The data processing system of Claim 48, the program instructions further including:

receiving a channel width from the user;

calculating a channel area using the channel width and the route information;

determining a set of pickup points from the plurality of pickup points based on the channel area;

selecting from the set of pickup points a pickup point.

- 50. The data processing system of Claim 48, the program instructions further including determining the plurality of pickup points using an approximate user route concentration based on route usage.
- 51. The data processing system of Claim 48, the program instructions further including:

receiving a plurality of routes from a plurality of users; and

determining the plurality of pickup points based on the plurality of routes.

52. The data processing system of Claim 48, the program instructions further including reminding the user via email that a package pickup is scheduled at the pickup point.

Group I

53. The data processing system of Claim 48, the program instructions further including reminding the user telephonically that a package pickup is scheduled at the pickup point.

GroupIV

54. A data processing system adapted to schedule pickup of a package from a user along the user's commuting route. comprising:

a processor; and

a memory operably coupled to the processor and having program instructions stored therein, the processor being operable to execute the program instructions, the program instructions including:

receiving route information from a user;
receiving a channel width from the user;
calculating a channel area using the channel width and
the route information;
determining a set of fixed pickup stations from the
plurality of fixed pickup stations based on the
channel area; and
selecting from the set of fixed pickup stations a
fixed pickup station.

GroupIII

55. (New)A method of selecting a product by a buyer accessing a server via a communications network, the method comprising:

receiving by the server from the buyer via the communications network a specification for preferred products;

receiving by the server from the buyer via the communications network a product category;

generating by the server a set of preferred products using the specification and product category; and

Group #I

displaying by the server to the buyer via the communications network the set of preferred products.

- 56. (New) The method of claim 55, wherein the specification includes a limitation on the price of a preferred product.
- (New) The method of claim 55, wherein the specification includes a plurality of product features preferred by the buyer.

58. (New) A method of purchasing a product by a buyer accessing a server via a communications network, the method comprising:

receiving by the server from the buyer via the communications network a specification for preferred products;

receiving by the server from the buyer via the communications network a date;

selecting by the server the product using the specification; and

ordering the product on the date by the server for the buyer.

- 59. (New) The method of claim 58, wherein the specification includes a limitation on the price of a preferred product.
- 60. (New) The method of claim 58, wherein the specification includes a plurality of product features preferred by the buyer.
- 61. (New) The method of claim 58, further comprising: receiving an occurrence rate for a specified product; and wherein selecting by the server the product further comprises using the occurrence rate for the specified product.

Group Y

hus Group VI

- 62. (New) The method of claim 1, wherein the route information includes a first reference point and a channel width.
- 63. (New) The method of claim 62, the route information further including a second reference point.
- 64. (New) The method of claim 62, wherein the first reference point is an address.
- 65. (New) The method of claim 62, wherein the first reference point includes a Zip Code.
- 66. (New) The method of claim 62, wherein the first reference point includes a phone number.
- 67. (New) The data processing system of claim 33, wherein the route information includes a first reference point and a channel width.
- 68. (New) The data processing system of claim 67, wherein the first reference point includes a Zip Code.
- 69. (New) The data processing system of claim 67, wherein the first reference point is an address.
- 70. (New) The data processing system of claim 67, wherein the first reference point is a phone number.

Group